

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/811,345	03/26/2004	Russell Bonaventura	LEAP:135US	1573
7	7590 03/31/2006		EXAM	INER
C. Paul Maliszewski, P.E.			PRITCHETT, JOSHUA L	
Simpson & Sir	npson, PLLC			
5555 Main Street			ART UNIT	PAPER NUMBER
Williamsville, NY 14221-5406			2872	
			DATE MAILED: 03/31/2006	5

Please find below and/or attached an Office communication concerning this application or proceeding.

·	Application No.	Applicant(s)		
	10/811,345	BONAVENTURA ET AL.		
Office Action Summary	Examiner	Art Unit		
	Joshua L. Pritchett	2872		
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address		
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period was Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION (36(a). In no event, however, may a reply be timulated the control of	N. nety filed the mailing date of this communication. D (35 U.S.C.§ 133).		
Status				
1) Responsive to communication(s) filed on 09 M	arch 2006.			
• —				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the r				
closed in accordance with the practice under E	•			
Disposition of Claims				
4)⊠ Claim(s) <u>2-34 and 36-50</u> is/are pending in the a	application.			
4a) Of the above claim(s) is/are withdraw				
5) Claim(s) is/are allowed.				
6)⊠ Claim(s) <u>2-34 and 36-50</u> is/are rejected.				
7) Claim(s) is/are objected to.		·		
8) Claim(s) are subject to restriction and/o	r election requirement.			
Application Deports				
Application Papers				
9) The specification is objected to by the Examine		hu tha Evernines		
10)⊠ The drawing(s) filed on <u>26 May 2004</u> is/are: a)				
Applicant may not request that any objection to the				
Replacement drawing sheet(s) including the correct				
11)☐ The oath or declaration is objected to by the Ex	taminer. Note the attached Office	ACTION OF TOTAL PTO-132.		
Priority under 35 U.S.C. § 119				
12) ☐ Acknowledgment is made of a claim for foreign a) ☐ All b) ☐ Some * c) ☐ None of:	priority under 35 U.S.C. § 119(a)-(d) or (f).		
1. Certified copies of the priority document	s have been received.	·		
2. Certified copies of the priority document		ion No.		
3. Copies of the certified copies of the prior				
application from the International Bureau				
* See the attached detailed Office action for a list		ed.		
	·			
	·	•		
Attachment(s)				
1) Notice of References Cited (PTO-892)	4) Interview Summary Paper No(s)/Mail D			
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) 		Patent Application (PTO-152)		
Paper No(s)/Mail Date	6) Other:	•		

Art Unit: 2872

DETAILED ACTION

This action is in response to Amendment filed Request for Continued and Amendment filed March 9, 2006. Claims 2, 4 and 5 have been amended and claim 1 has been cancelled as requested by the applicant.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 2-12, 14-24, 26-34, 36-43 and 46-50 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chin (US 5,295,052) in view of Messinger (US 5,076,660).

Regarding claim 4, Chin teaches an air inlet (112), an illumination source (34); a heat sink assembly (80) including a lens (col. 1 lines 40-50) secured to the heat sink assembly and the heat sink arranged to protect the illumination source from direct physical intrusion (Fig. 2) and a plurality of fins (Fig. 5) formed at the heat sink assembly and operatively arranged to conduct heat away from the illumination source and to transfer the heat to air passing by or over the assembly (col. 2 lines 55-60). The illumination source in Chin is protected from direct physical

Art Unit: 2872

intrusion because a person could not stick an object into the system in a straight line and contact the illumination source (Fig. 2). Chin lacks specific reference to a microscope. Chin does state that the device is used for medical/surgical applications (abstract). It is extremely well known in the art to use microscopes in combination with light sources for medical/surgical applications. Official Notice is taken. Chin further lacks reference to a baffle directing the airflow. Messinger teaches the heat sink assembly (abstract) comprising a baffle (15, 19 and partitions shown in Fig. 1) located proximate the air inlet (Fig. 1) and operative arranged to deflect air entering via the inlet and to occlude the emanation of light form the source through the air inlet (Fig. 1). It would have been obvious to one of ordinary skill in the art at the time the invention was made to have the Chin light source used in combination with a microscope as suggested by Chin for the purpose of allowing surgery to be performed on parts of the body too small to be easily observed with the naked eye. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have the Chin invention include the baffles of Messinger for the purpose of greater cooling efficiency of the heat sink assembly.

Regarding claim 2, Chin teaches the heat sink further comprises an inner wall (top of 36) and an outer wall (bottom of 36) separated by an air gap (Fig. 5).

Regarding claim 3, Chin teaches a first fin from the plurality of fins is connected to the outer wall and a second fin from the plurality of fins is connected to the inner wall (Fig. 5).

Regarding claims 5, 6, 17, 18, 36 and 37, Chin teaches the invention as claimed including slots to formed in a base plate to allow rapid removal and replacement of components of the device (col. 3 lines 13-20). Chin lacks reference to the use of baffles to direct airflow through the heat sink assembly located in those slots. Messinger teaches the baffle plate overlies the air

Art Unit: 2872

inlet (Fig. 1). Messinger further teaches a first plurality of baffles (Fig. 1). It would be obvious to one of ordinary skill in the art at the time the invention was made to use the slot teaching of Chin to mount the plurality of baffles taught by Messinger for the purpose of using the baffles to direct air across the heat sink for efficient cooling and allow the baffles to be removed to clean off any debris brought into the device by the air inlet.

Regarding claims 7-12, 14, 19-24, 29, 38-43 and 46, Chin teaches the invention as claimed but lacks reference to the use of baffles to direct the airflow. Messinger teaches a baffle having an arcuate shape (15). The element, 15, acts as a baffle directing airflow into the coupling fixture. It would be obvious to have the other baffles (19 and partitions) have the same shape as 15 for the purpose of better directing the airflow. Messinger further teaches each of the baffles forms an opening between an edge of each baffle and the baffle plate disposed in a first direction (Fig. 1). Messinger further teaches the division of the first plurality baffles into two other pluralities of baffles. The second plurality of baffles (15 and 19) has an opening in the first direction and is parallel to the air inlet (9) (Fig. 1). The third plurality of baffles (partitions) has an opening in a second direction opposite the first direction and is perpendicular to the air inlet (9) (Fig. 1). Messinger further teaches an air outlet (13) wherein the heat sink assembly is operatively arranged to induce airflow into the air inlet, across the heat sink, and through the air outlet (Fig. 1). It would have been obvious to one of ordinary skill in the art at the time the invention was made to have the Chin invention include the baffles of Messinger for the purpose of greater cooling efficiency of the heat sink assembly.

Regarding claims 15, 16, 26, 30 and 47-50, Chin teaches an illumination source (34); a heat sink assembly (80) surrounding the illumination source (Fig. 5) and a plurality of fins (Fig.

Art Unit: 2872

5) formed at the heat sink assembly and operatively arranged to conduct heat away from the illumination source and to transfer the heat to air passing by or over the assembly (col. 2 lines 55-60). Chin lacks specific reference to a microscope. Chin does state that the device is used for medical/surgical applications (abstract). It is extremely well known in the art to use microscopes in combination with light sources for medical/surgical applications. Official Notice is taken. Chin further lacks reference to the use of baffles. Messinger teaches the heat sink assembly (abstract) comprising a fixed baffle (19 and partitions shown in Fig. 1) located proximate the air inlet (Fig. 1) and operative arranged to deflect air entering via the inlet and to occlude the emanation of light form the source through the air inlet (Fig. 1). It would have been obvious to one of ordinary skill in the art at the time the invention was made to have the Chin invention include the baffles of Messinger for the purpose of greater cooling efficiency of the heat sink assembly. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have the Chin light source used in combination with a microscope as suggested by Chin for the purpose of allowing surgery to be performed on parts of the body too small to be easily observed with the naked eye.

Regarding claims 27, 31 and 33, Chin teaches the heat sink further comprises an inner wall (top of 36) and an outer wall (bottom of 36) separated by an air gap (Fig. 5).

Regarding claims 28, 32 and 34, Chin teaches a first fin from the plurality of fins is connected to the outer wall and a second fin from the plurality of fins is connected to the inner wall (Fig. 5).

Art Unit: 2872

Claims 13, 25, 44 and 45 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chin (US 5,295,052) in view of Messinger (US 5,076,660) as applied to claims 5, 17 and 36 above, and further in view of Rauen (US 6,698,200).

Chin in combination with Messinger teaches the invention as claimed including a baseplate (14) with the air inlet disposed in the base plate (Fig. 2) but lacks reference to a thermal insulation layer. Rauen teaches the use of a thermal insulation layer between the baffles plate (60) and the base plate (Fig. 3). It would have been obvious to a person of ordinary skill in the art at the time the invention was made to include the thermal insulation layer of Rauen in the Chin/Messinger invention for the purpose of preventing the heat created by the light source from adversely impacting other components of the microscope outside the heat sink assembly.

Response to Arguments

Applicant's arguments filed March 9, 2006 have been fully considered but they are not persuasive.

Applicant argues that the prior art fails to teach or suggest the illumination source is protected from direct physical intrusion. The applicant defines direct physical intrusion by stating that there is no direct linear path from outside the assembly to the illumination source, or that a person could not thrust an object into the system to contact the light source. Chin teaches that a person would not be able to thrust an object in a straight line from outside the assembly and contact the illumination source (Fig. 2).

Art Unit: 2872

Applicant argues that changing the Chin reference to prevent direct physical intrusion would render the reference inoperable. Chin does not need to be modified to teach protection from direct physical intrusion as stated above.

Applicant argues that the baffles of Messinger do not occlude light from inlet 9. In an disputing this teaching by the prior art the applicant's argument is based on a hypothetical changing of the orientation of Messinger reference which is not taught or suggested by the reference. The applicant's argument requires changing the location of the air inlet to a different location. The Messinger reference is arranged in such a manner that the baffles do occlude light from the air inlet. The hypothetical changing of the orientation of Messinger is not persuasive because such an arrangement is not shown or contemplated in the references.

Applicant argues that the baffles of Messinger are not located proximate to the air inlet. The examiner maintains that within the broadest reasonable interpretation of "proximate" the baffles of Messinger are proximate to the air inlet. If the applicant wishes to more overcome the prior art on these grounds the examiner suggests different language that more specifically defines the positional relationship between the baffle and the air inlet.

Applicant argues that modifying Messinger would render the reference inoperable. In the rejection above the Chin reference is modified not the Messinger reference.

Applicant argues that claims 15 and 30 should be allowable for the same reasons as claim 4. Claim 4 is not allowable as discussed above. Further, claims 15 and 30 do not have all the limitations of claim 4 and therefore allowability of claims 15 and 30 is independent of claim 4.

Art Unit: 2872

Applicant's arguments, see Amendment, filed March 9, 2006, with respect to claims 2-14 have been fully considered and are persuasive. The 35 U.S.C 112 first paragraph rejection of claims 2-14 has been withdrawn. Applicant amended the claims to overcome the rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joshua L. Pritchett whose telephone number is 571-272-2318. The examiner can normally be reached on Monday - Friday 7:00 - 3:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Drew A. Dunn can be reached on 571-272-2312. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JLP W.

DREW A. DUNN SUPERVISORY PATENT EXAMINER